

■ Holder Type



● EKLQM2PK (Inductor for Power Lines Multilayer Type)

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) | Rated Current (mA) |
|-----|---------------|-----------------|------------|-----------|-------------------|--------------------|
| | | | Nominal | Tolerance | | |
| 1 | LQM18PN1R5NB0 | 10 | 1.5μH | ±30% | 0.35±25% | 600 |
| 2 | LQM18PN1R8NC0 | 10 | 1.8μH | ±30% | 0.24±25% | 700 |
| 3 | LQM18PN2R5ND0 | 10 | 2.5μH | ±30% | 0.24±25% | 700 |
| 4 | LQM18PN1R0NF0 | 10 | 1.0μH | ±30% | 0.28±25% | 600 |
| 5 | LQM18PNR22NFR | 10 | 0.22μH | ±30% | 0.11±25% | 1250 |
| 6 | LQM18PNR47NFR | 10 | 0.47μH | ±30% | 0.15±25% | 1100 |
| 7 | LQM18PN1R0MFR | 10 | 1.0μH | ±20% | 0.20±25% | 950 |
| 8 | LQM18PN1R5MFR | 10 | 1.5μH | ±20% | 0.23±25% | 800 |
| 9 | LQM18PN2R2MFR | 10 | 2.2μH | ±20% | 0.30±25% | 750 |
| 10 | LQM18PN3R3MFR | 10 | 3.3μH | ±20% | 0.35±25% | 700 |
| 11 | LQM18PN4R7MFR | 10 | 4.7μH | ±20% | 0.44±25% | 620 |
| 12 | LQM21PNR47MC0 | 10 | 0.47μH | ±20% | 0.12±25% | 1100 |
| 13 | LQM21PN1R0MC0 | 10 | 1.0μH | ±20% | 0.19±25% | 800 |
| 14 | LQM21PN1R5MC0 | 10 | 1.5μH | ±20% | 0.26±25% | 700 |
| 15 | LQM21PN2R2MC0 | 10 | 2.2μH | ±20% | 0.34±25% | 600 |
| 16 | LQM21PNR47MG0 | 10 | 0.47μH | ±20% | 0.075±25% | 1300 |
| 17 | LQM21PNR54MG0 | 10 | 0.54μH | ±20% | 0.075±25% | 1300 |
| 18 | LQM21PN3R3MG0 | 10 | 3.3μH | ±20% | 0.165±25% | 800 |
| 19 | LQM21PN2R2MGS | 10 | 2.2μH | ±20% | 0.180±25% | 950 |
| 20 | LQM21PN4R7MGS | 10 | 4.7μH | ±20% | 0.290±25% | 750 |
| 21 | LQM21PN1R0NGC | 10 | 1.0μH | ±30% | 0.10±25% | 900 |
| 22 | LQM21PN2R2NGC | 10 | 2.2μH | ±30% | 0.23±25% | 800 |
| 23 | LQM21PN1R0NGR | 10 | 1.0μH | ±30% | 0.066±25% | 1300 |
| 24 | LQM21PN3R3MGR | 10 | 3.3μH | ±20% | 0.150±25% | 1000 |
| 25 | LQM21PN4R7MGR | 10 | 4.7μH | ±20% | 0.23±25% | 800 |
| 26 | LQM2MPNR47MG0 | 10 | 0.47μH | ±20% | 0.060±25% | 1600 |
| 27 | LQM2MPN1R0NG0 | 10 | 1.0μH | ±30% | 0.085±25% | 1400 |
| 28 | LQM2MPN1R5MG0 | 10 | 1.5μH | ±20% | 0.11±25% | 1200 |
| 29 | LQM2MPN2R2MG0 | 10 | 2.2μH | ±20% | 0.11±25% | 1200 |
| 30 | LQM2MPN3R3NG0 | 10 | 3.3μH | ±30% | 0.12±25% | 1200 |
| 31 | LQM2MPN4R7MG0 | 10 | 4.7μH | ±20% | 0.14±25% | 1100 |
| 32 | LQM2HPNR56ME0 | 10 | 0.56μH | ±20% | 0.06±25% | 1500 |
| 33 | LQM2HPNR47MG0 | 10 | 0.47μH | ±20% | 0.04±25% | 1800 |
| 34 | LQM2HPN1R0MG0 | 10 | 1.0μH | ±20% | 0.055±25% | 1600 |
| 35 | LQM2HPN1R5MG0 | 10 | 1.5μH | ±20% | 0.07±25% | 1500 |
| 36 | LQM2HPN2R2MG0 | 10 | 2.2μH | ±20% | 0.08±25% | 1300 |
| 37 | LQM2HPN3R3MG0 | 10 | 3.3μH | ±20% | 0.10±25% | 1200 |
| 38 | LQM2HPN4R7MG0 | 10 | 4.7μH | ±20% | 0.11±25% | 1100 |
| 39 | LQM2HPN1R0MGC | 10 | 1.0μH | ±20% | 0.08±25% | 1500 |
| 40 | LQM2HPN3R3MGC | 10 | 3.3μH | ±20% | 0.16±25% | 1000 |
| 41 | LQM2HPN4R7MGC | 10 | 4.7μH | ±20% | 0.18±25% | 800 |
| 42 | LQM2HPN2R2MGS | 10 | 2.2μH | ±20% | 0.18±25% | 1100 |
| 43 | LQM2HPN3R3MGS | 10 | 3.3μH | ±20% | 0.21±25% | 1050 |
| 44 | LQM2HPN4R7MGS | 10 | 4.7μH | ±20% | 0.25±25% | 1000 |
| 45 | LQM2HPN1R0MJ0 | 10 | 1.0μH | ±20% | 0.09±25% | 1500 |
| 46 | LQM2HPN2R2MJ0 | 10 | 2.2μH | ±20% | 0.12±25% | 1000 |
| 47 | LQM2HPN3R3MJ0 | 10 | 3.3μH | ±20% | 0.12±25% | 1000 |
| 48 | LQM2HPN1R0MJC | 10 | 1.0μH | ±20% | 0.086±25% | 1500 |
| 49 | LQM2HPN2R2NJC | 10 | 2.2μH | ±30% | 0.175±25% | 1000 |
| 50 | LQM31PNR47MC0 | 10 | 0.47μH | ±20% | 0.085±25% | 1300 |
| 51 | LQM31PN1R0MC0 | 10 | 1.0μH | ±20% | 0.14±25% | 1100 |
| 52 | LQM31PN1R5MC0 | 10 | 1.5μH | ±20% | 0.17±25% | 1000 |
| 53 | LQM31PN2R2MC0 | 10 | 2.2μH | ±20% | 0.25±25% | 900 |
| 54 | LQM31PNR47M00 | 10 | 0.47μH | ±20% | 0.07±25% | 1400 |
| 55 | LQM31PN1R0M00 | 10 | 1.0μH | ±20% | 0.12±25% | 1200 |

Continued on the following page.

Continued from the preceding page.

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) | Rated Current (mA) |
|-----|---------------|-----------------|------------|-----------|-------------------|--------------------|
| | | | Nominal | Tolerance | | |
| 56 | LQM31PN1R5M00 | 10 | 1.5μH | ±20% | 0.14±25% | 1000 |
| 57 | LQM31PN2R2M00 | 10 | 2.2μH | ±20% | 0.19±25% | 900 |
| 58 | LQM31PN3R3M00 | 10 | 3.3μH | ±20% | 0.24±25% | 800 |
| 59 | LQM31PN4R7M00 | 10 | 4.7μH | ±20% | 0.30±25% | 700 |
| 60 | LQM32PN1R0MG0 | 10 | 1.0μH | ±20% | 0.048±25% | 1800 |

●EKLHM2MCH (Inductor for Power Lines Wire Wound Type)

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) | Rated Current (mA) | |
|-----|---------------|-----------------|------------|-----------|-------------------|----------------------------|---------------------------|
| | | | Nominal | Tolerance | | Based on Inductance Change | Based on Temperature Rise |
| 1 | LQH2MCN1R0M02 | 10 | 1.0μH | ±20% | 0.30±30% | - | 485 |
| 2 | LQH2MCN1R5M02 | 10 | 1.5μH | ±20% | 0.40±30% | - | 445 |
| 3 | LQH2MCN2R2M02 | 10 | 2.2μH | ±20% | 0.48±30% | - | 425 |
| 4 | LQH2MCN3R3M02 | 10 | 3.3μH | ±20% | 0.60±30% | - | 375 |
| 5 | LQH2MCN4R7M02 | 10 | 4.7μH | ±20% | 0.8±30% | - | 300 |
| 6 | LQH2MCN5R6M02 | 10 | 5.6μH | ±20% | 0.9±30% | - | 280 |
| 7 | LQH2MCN6R8M02 | 10 | 6.8μH | ±20% | 1.0±30% | - | 255 |
| 8 | LQH2MCN8R2M02 | 10 | 8.2μH | ±20% | 1.1±30% | - | 235 |
| 9 | LQH2MCN100K02 | 10 | 10μH | ±10% | 1.2±30% | - | 225 |
| 10 | LQH2MCN120K02 | 10 | 12μH | ±10% | 1.4±30% | - | 210 |
| 11 | LQH2MCN150K02 | 10 | 15μH | ±10% | 1.6±30% | - | 200 |
| 12 | LQH2MCN180K02 | 10 | 18μH | ±10% | 1.8±30% | - | 190 |
| 13 | LQH2MCN220K02 | 10 | 22μH | ±10% | 2.1±30% | - | 185 |
| 14 | LQH2MCN270K02 | 10 | 27μH | ±10% | 2.5±30% | - | 180 |
| 15 | LQH2MCN330K02 | 10 | 33μH | ±10% | 2.8±30% | - | 160 |
| 16 | LQH2MCN390K02 | 10 | 39μH | ±10% | 4.4±30% | - | 125 |
| 17 | LQH2MCN470K02 | 10 | 47μH | ±10% | 5.1±30% | - | 120 |
| 18 | LQH2MCN560K02 | 10 | 56μH | ±10% | 5.7±30% | - | 110 |
| 19 | LQH2MCN680K02 | 10 | 68μH | ±10% | 6.6±30% | - | 100 |
| 20 | LQH2MCN820K02 | 10 | 82μH | ±10% | 7.5±30% | - | 90 |
| 21 | LQH2MCN1R0M52 | 10 | 1.0μH | ±20% | 0.25±30% | - | 595 |
| 22 | LQH2MCN1R5M52 | 10 | 1.5μH | ±20% | 0.33±30% | - | 540 |
| 23 | LQH2MCN2R2M52 | 10 | 2.2μH | ±20% | 0.42±30% | - | 500 |
| 24 | LQH2MCN3R3M52 | 10 | 3.3μH | ±20% | 0.74±30% | - | 360 |
| 25 | LQH2MCN4R7M52 | 10 | 4.7μH | ±20% | 0.91±30% | - | 335 |
| 26 | LQH2MCN6R8M52 | 10 | 6.8μH | ±20% | 1.23±30% | - | 285 |
| 27 | LQH2MCN100M52 | 10 | 10μH | ±20% | 2.27±30% | - | 200 |
| 28 | LQH2MCN120M52 | 10 | 12μH | ±20% | 2.4±30% | - | 170 |
| 29 | LQH2MCN150M52 | 10 | 15μH | ±20% | 3.5±30% | - | 150 |
| 30 | LQH2MCN180M52 | 10 | 18μH | ±20% | 4±30% | - | 140 |
| 31 | LQH2MCN220M52 | 10 | 22μH | ±20% | 5.5±30% | - | 130 |
| 32 | LQH2HPN2R2MG0 | 10 | 2.2μH | ±20% | 0.17±20% | 1640 | 1000 |
| 33 | LQH2HPN3R3MG0 | 10 | 3.3μH | ±20% | 0.27±20% | 1290 | 810 |
| 34 | LQH2HPN4R7MG0 | 10 | 4.7μH | ±20% | 0.36±20% | 1000 | 700 |
| 35 | LQH2HPN6R8MG0 | 10 | 6.8μH | ±20% | 0.5±20% | 800 | 590 |
| 36 | LQH2HPN100MG0 | 10 | 10μH | ±20% | 0.73±20% | 700 | 490 |
| 37 | LQH2HPN220MG0 | 10 | 22μH | ±20% | 1.6±20% | 490 | 340 |
| 38 | LQH2HPN101MG0 | 10 | 100μH | ±20% | 10±20% | 210 | 130 |
| 39 | LQH2HPN2R2MJ0 | 10 | 2.2μH | ±20% | 0.132±20% | 1800 | 1300 |
| 40 | LQH2HPN3R3MJ0 | 10 | 3.3μH | ±20% | 0.230±20% | 1500 | 950 |
| 41 | LQH2HPN4R7MJ0 | 10 | 4.7μH | ±20% | 0.330±20% | 1250 | 700 |
| 42 | LQH2HPN6R8MJ0 | 10 | 6.8μH | ±20% | 0.448±20% | 1100 | 600 |
| 43 | LQH2HPN100MJ0 | 10 | 10μH | ±20% | 0.641±20% | 820 | 550 |
| 44 | LQH2HPN1R5NJ0 | 10 | 1.5μH | ±30% | 0.096±20% | 2400 | 1500 |
| 45 | LQH2HPN2R2MM0 | 10 | 2.2μH | ±20% | 0.146±20% | 1700 | 1250 |
| 46 | LQH2HPN4R7NM0 | 10 | 4.7μH | ±30% | 0.342±20% | 1200 | 800 |

●EKLMQH3PE (Inductor for Power Lines Wire Wound Type)


| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) | Rated Current (mA) | |
|-----|---------------|-----------------|------------|-----------|-------------------|----------------------------|---------------------------|
| | | | Nominal | Tolerance | | Based on Inductance Change | Based on Temperature Rise |
| 1 | LQH3NPN1R0NG0 | 10 | 1.0μH | ±30% | 0.08±20% | 1650 | 1525 |
| 2 | LQH3NPN1R5NG0 | 10 | 1.5μH | ±30% | 0.10±20% | 1300 | 1470 |
| 3 | LQH3NPN2R2NG0 | 10 | 2.2μH | ±30% | 0.14±20% | 1250 | 1270 |
| 4 | LQH3NPN3R3NG0 | 10 | 3.3μH | ±30% | 0.18±20% | 850 | 1130 |
| 5 | LQH3NPN4R7NG0 | 10 | 4.7μH | ±30% | 0.26±20% | 800 | 925 |
| 6 | LQH3NPN6R8NG0 | 10 | 6.8μH | ±30% | 0.45±20% | 650 | 710 |

Continued on the following page. ↗

Continued from the preceding page.

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) | Rated Current (mA) | |
|-----|---------------|-----------------|------------|-----------|-------------------|----------------------------|---------------------------|
| | | | Nominal | Tolerance | | Based on Inductance Change | Based on Temperature Rise |
| 7 | LQH3NPN100MG0 | 10 | 10μH | ±20% | 0.57±20% | 500 | 630 |
| 8 | LQH3NPN150NG0 | 10 | 15μH | ±30% | 0.91±20% | 370 | 475 |
| 9 | LQH3NPN220MG0 | 10 | 22μH | ±20% | 1.1±20% | 340 | 430 |
| 10 | LQH3NPN330MG0 | 10 | 33μH | ±20% | 2.1±20% | 250 | 345 |
| 11 | LQH3NPN470MG0 | 10 | 47μH | ±20% | 3.0±20% | 170 | 270 |
| 12 | LQH3NPN680MG0 | 10 | 68μH | ±20% | 4.2±20% | 150 | 235 |
| 13 | LQH3NPN101MG0 | 10 | 100μH | ±20% | 8.0±20% | 140 | 165 |
| 14 | LQH3NPN151MG0 | 10 | 150μH | ±20% | 11±20% | 110 | 145 |
| 15 | LQH3NPN221MG0 | 10 | 220μH | ±20% | 14±20% | 100 | 130 |
| 16 | LQH3NPN251MG0 | 10 | 250μH | ±20% | 15±20% | 80 | 130 |
| 17 | LQH3NPN1R0NJ0 | 10 | 1.0μH | ±30% | 0.040±20% | 1650 | 1620 |
| 18 | LQH3NPN1R5NJ0 | 10 | 1.5μH | ±30% | 0.055±20% | 1200 | 1500 |
| 19 | LQH3NPN2R2MJ0 | 10 | 2.2μH | ±20% | 0.069±20% | 1150 | 1460 |
| 20 | LQH3NPN3R3MJ0 | 10 | 3.3μH | ±20% | 0.105±20% | 950 | 1270 |
| 21 | LQH3NPN4R7MJ0 | 10 | 4.7μH | ±20% | 0.130±20% | 780 | 1120 |
| 22 | LQH3NPN6R8MJ0 | 10 | 6.8μH | ±20% | 0.210±20% | 700 | 850 |
| 23 | LQH3NPN100MJ0 | 10 | 10μH | ±20% | 0.300±20% | 560 | 710 |
| 24 | LQH3NPN150MJ0 | 10 | 15μH | ±20% | 0.440±20% | 440 | 590 |
| 25 | LQH3NPN220MJ0 | 10 | 22μH | ±20% | 0.600±20% | 350 | 510 |
| 26 | LQH3NPN330MJ0 | 10 | 33μH | ±20% | 0.900±20% | 280 | 410 |
| 27 | LQH3NPN470MJ0 | 10 | 47μH | ±20% | 1.30±20% | 200 | 350 |
| 28 | LQH3NPN1R0MM0 | 10 | 1.0μH | ±20% | 0.044±20% | 1400 | 2050 |
| 29 | LQH3NPN2R2MM0 | 10 | 2.2μH | ±20% | 0.073±20% | 1250 | 1600 |
| 30 | LQH3NPN3R3MM0 | 10 | 3.3μH | ±20% | 0.092±20% | 1000 | 1450 |
| 31 | LQH3NPN4R7MM0 | 10 | 4.7μH | ±20% | 0.13±20% | 880 | 1250 |
| 32 | LQH3NPN6R8MM0 | 10 | 6.8μH | ±20% | 0.20±20% | 820 | 1000 |
| 33 | LQH3NPN100MM0 | 10 | 10μH | ±20% | 0.26±20% | 550 | 870 |
| 34 | LQH3NPN150MM0 | 10 | 15μH | ±20% | 0.36±20% | 520 | 730 |
| 35 | LQH3NPN220MM0 | 10 | 22μH | ±20% | 0.51±20% | 410 | 650 |
| 36 | LQH3NPN330MM0 | 10 | 33μH | ±20% | 0.85±20% | 370 | 500 |
| 37 | LQH3NPN470MM0 | 10 | 47μH | ±20% | 1.25±20% | 310 | 410 |
| 38 | LQH3NPN101MM0 | 10 | 100μH | ±20% | 3.50±20% | 200 | 240 |
| 39 | LQH3NPN1R0MMR | 10 | 1.0μH | ±20% | 0.042±20% | 1600 | 2150 |
| 40 | LQH3NPN2R2MMR | 10 | 2.2μH | ±20% | 0.068±20% | 1380 | 1750 |
| 41 | LQH3NPN3R3MMR | 10 | 3.3μH | ±20% | 0.088±20% | 1200 | 1550 |
| 42 | LQH3NPN4R7MMR | 10 | 4.7μH | ±20% | 0.105±20% | 950 | 1400 |
| 43 | LQH3NPN6R8MMR | 10 | 6.8μH | ±20% | 0.155±20% | 830 | 1250 |
| 44 | LQH3NPN100MMR | 10 | 10μH | ±20% | 0.210±20% | 590 | 1150 |
| 45 | LQH3NPN220MMR | 10 | 22μH | ±20% | 0.480±20% | 430 | 750 |
| 46 | LQH3NPN330MMR | 10 | 33μH | ±20% | 0.790±20% | 380 | 600 |
| 47 | LQH3NPN470MMR | 10 | 47μH | ±20% | 1.140±20% | 320 | 460 |
| 48 | LQH32PNR47NNO | 10 | 0.47μH | ±30% | 0.030±20% | 3400 | 2550 |
| 49 | LQH32PN1R0NNO | 10 | 1.0μH | ±30% | 0.045±20% | 2300 | 2050 |
| 50 | LQH32PN1R5NNO | 10 | 1.5μH | ±30% | 0.057±20% | 1750 | 1750 |
| 51 | LQH32PN2R2NNO | 10 | 2.2μH | ±30% | 0.076±20% | 1550 | 1600 |
| 52 | LQH32PN3R3NNO | 10 | 3.3μH | ±30% | 0.12±20% | 1250 | 1200 |
| 53 | LQH32PN4R7NNO | 10 | 4.7μH | ±30% | 0.18±20% | 1000 | 1000 |
| 54 | LQH32PN6R8NNO | 10 | 6.8μH | ±30% | 0.24±20% | 850 | 850 |
| 55 | LQH32PN100MNO | 10 | 10μH | ±20% | 0.38±20% | 750 | 700 |
| 56 | LQH32PN150MNO | 10 | 15μH | ±20% | 0.57±20% | 600 | 520 |
| 57 | LQH32PN220MNO | 10 | 22μH | ±20% | 0.81±20% | 500 | 450 |
| 58 | LQH32PN330MNO | 10 | 33μH | ±20% | 1.15±20% | 380 | 390 |
| 59 | LQH32PN470MNO | 10 | 47μH | ±20% | 1.78±20% | 330 | 310 |
| 60 | LQH32PN680MNO | 10 | 68μH | ±20% | 2.28±20% | 280 | 275 |
| 61 | LQH32PN101MNO | 10 | 100μH | ±20% | 2.70±20% | 180 | 250 |
| 62 | LQH32PN121MNO | 10 | 120μH | ±20% | 4.38±20% | 170 | 200 |
| 63 | LQH32PNR47NNC | 10 | 0.47μH | ±30% | 0.024±20% | 4400 | 2900 |
| 64 | LQH32PN1R0NNC | 10 | 1.0μH | ±30% | 0.036±20% | 3000 | 2500 |
| 65 | LQH32PN1R5NNC | 10 | 1.5μH | ±30% | 0.053±20% | 2600 | 2100 |
| 66 | LQH32PN2R2NNC | 10 | 2.2μH | ±30% | 0.064±20% | 2000 | 1850 |
| 67 | LQH32PN3R3NNC | 10 | 3.3μH | ±30% | 0.100±20% | 1900 | 1550 |
| 68 | LQH32PN4R7NNC | 10 | 4.7μH | ±30% | 0.155±20% | 1600 | 1200 |
| 69 | LQH32PN6R8NNC | 10 | 6.8μH | ±30% | 0.220±20% | 1300 | 1100 |
| 70 | LQH32PN100MNC | 10 | 10μH | ±20% | 0.295±20% | 1000 | 900 |
| 71 | LQH32PN150MNC | 10 | 15μH | ±20% | 0.475±20% | 800 | 700 |
| 72 | LQH32PN220MNC | 10 | 22μH | ±20% | 0.685±20% | 650 | 550 |

Continued on the following page.


 Continued from the preceding page.

● **EKLMQH3BA (Inductor for Power Lines Wire Wound Type)**

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) | Rated Current (mA) | |
|-----|---------------|-----------------|------------|-----------|-------------------|----------------------------|---------------------------|
| | | | Nominal | Tolerance | | Based on Inductance Change | Based on Temperature Rise |
| 1 | LQH32PBR47NNO | 10 | 0.47μH | ±30% | 0.030±20% | 3400 | 1600 |
| 2 | LQH32PB1R0NNO | 10 | 1.0μH | ±30% | 0.045±20% | 2300 | 1320 |
| 3 | LQH32PB1R5NNO | 10 | 1.5μH | ±30% | 0.057±20% | 1750 | 1010 |
| 4 | LQH32PB2R2NNO | 10 | 2.2μH | ±30% | 0.076±20% | 1550 | 970 |
| 5 | LQH32PB3R3NNO | 10 | 3.3μH | ±30% | 0.12±20% | 1250 | 670 |
| 6 | LQH32PB4R7NNO | 10 | 4.7μH | ±30% | 0.18±20% | 1000 | 530 |
| 7 | LQH32PB6R8NNO | 10 | 6.8μH | ±30% | 0.24±20% | 850 | 510 |
| 8 | LQH32PB100MNO | 10 | 10μH | ±20% | 0.38±20% | 750 | 380 |
| 9 | LQH32PB150MNO | 10 | 15μH | ±20% | 0.57±20% | 600 | 320 |
| 10 | LQH32PB220MNO | 10 | 22μH | ±20% | 0.81±20% | 500 | 240 |
| 11 | LQH32PB330MNO | 10 | 33μH | ±20% | 1.15±20% | 380 | 190 |
| 12 | LQH32PB470MNO | 10 | 47μH | ±20% | 1.78±20% | 330 | 140 |
| 13 | LQH32PB680MNO | 10 | 68μH | ±20% | 2.28±20% | 280 | 120 |
| 14 | LQH32PB101MNO | 10 | 100μH | ±20% | 2.70±20% | 180 | 110 |
| 15 | LQH32PB121MNO | 10 | 120μH | ±20% | 4.38±20% | 170 | 80 |
| 16 | LQH32PBR47NNC | 10 | 0.47μH | ±30% | 0.024±20% | 4400 | 1490 |
| 17 | LQH32PB1R0NNC | 10 | 1.0μH | ±30% | 0.036±20% | 3000 | 1380 |
| 18 | LQH32PB1R5NNC | 10 | 1.5μH | ±30% | 0.053±20% | 2600 | 1110 |
| 19 | LQH32PB2R2NNC | 10 | 2.2μH | ±30% | 0.064±20% | 2000 | 910 |
| 20 | LQH32PB3R3NNC | 10 | 3.3μH | ±30% | 0.100±20% | 1900 | 800 |
| 21 | LQH32PB4R7NNC | 10 | 4.7μH | ±30% | 0.155±20% | 1600 | 610 |
| 22 | LQH32PB6R8NNC | 10 | 6.8μH | ±30% | 0.220±20% | 1300 | 550 |
| 23 | LQH32PB100MNC | 10 | 10μH | ±20% | 0.295±20% | 1000 | 450 |
| 24 | LQH32PB150MNC | 10 | 15μH | ±20% | 0.475±20% | 800 | 330 |
| 25 | LQH32PB220MNC | 10 | 22μH | ±20% | 0.685±20% | 650 | 270 |

● **EKLMQH4PD (Inductor for Power Lines Wire Wound Type)**

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) | Rated Current (mA) | |
|-----|---------------|-----------------|------------|-----------|-------------------|----------------------------|---------------------------|
| | | | Nominal | Tolerance | | Based on Inductance Change | Based on Temperature Rise |
| 1 | LQH44PN1R0NJ0 | 10 | 1.0μH | ±30% | 0.048±20% | 2000 | 1530 |
| 2 | LQH44PN1R5MJ0 | 10 | 1.5μH | ±20% | 0.061±20% | 1600 | 1380 |
| 3 | LQH44PN2R2MJ0 | 10 | 2.2μH | ±20% | 0.074±20% | 1320 | 1230 |
| 4 | LQH44PN3R3MJ0 | 10 | 3.3μH | ±20% | 0.088±20% | 900 | 1000 |
| 5 | LQH44PN4R7MJ0 | 10 | 4.7μH | ±20% | 0.117±20% | 840 | 980 |
| 6 | LQH44PN6R8MJ0 | 10 | 6.8μH | ±20% | 0.143±20% | 720 | 860 |
| 7 | LQH44PN100MJ0 | 10 | 10μH | ±20% | 0.207±20% | 560 | 790 |
| 8 | LQH44PN150MJ0 | 10 | 15μH | ±20% | 0.385±20% | 430 | 610 |
| 9 | LQH44PN220MJ0 | 10 | 22μH | ±20% | 0.480±20% | 400 | 550 |
| 10 | LQH44PN330MJ0 | 10 | 33μH | ±20% | 0.740±20% | 360 | 430 |
| 11 | LQH44PN470MJ0 | 10 | 47μH | ±20% | 1.014±20% | 300 | 380 |
| 12 | LQH44PN1R0NP0 | 10 | 1.0μH | ±30% | 0.030±20% | 2950 | 2450 |
| 13 | LQH44PN2R2MP0 | 10 | 2.2μH | ±20% | 0.049±20% | 2500 | 1800 |
| 14 | LQH44PN3R3MP0 | 10 | 3.3μH | ±20% | 0.065±20% | 2100 | 1770 |
| 15 | LQH44PN4R7MP0 | 10 | 4.7μH | ±20% | 0.080±20% | 1700 | 1700 |
| 16 | LQH44PN6R8MP0 | 10 | 6.8μH | ±20% | 0.12±20% | 1400 | 1340 |
| 17 | LQH44PN100MP0 | 10 | 10μH | ±20% | 0.16±20% | 1150 | 1170 |
| 18 | LQH44PN220MP0 | 10 | 22μH | ±20% | 0.37±20% | 800 | 790 |
| 19 | LQH43PN1R0N26 | 10 | 1.0μH | ±30% | 0.026±20% | 3400 | 3300 |
| 20 | LQH43PN2R2M26 | 10 | 2.2μH | ±20% | 0.042±20% | 2300 | 2500 |
| 21 | LQH43PN3R3M26 | 10 | 3.3μH | ±20% | 0.052±20% | 1800 | 2100 |
| 22 | LQH43PN4R7M26 | 10 | 4.7μH | ±20% | 0.075±20% | 1400 | 1600 |
| 23 | LQH43PN6R8M26 | 10 | 6.8μH | ±20% | 0.098±20% | 1200 | 1400 |
| 24 | LQH43PN8R2M26 | 10 | 8.2μH | ±20% | 0.128±20% | 1100 | 1300 |
| 25 | LQH43PN100M26 | 10 | 10μH | ±20% | 0.147±20% | 1050 | 1170 |
| 26 | LQH43PN220M26 | 10 | 22μH | ±20% | 0.327±20% | 700 | 780 |
| 27 | LQH43PN470M26 | 10 | 47μH | ±20% | 0.718±20% | 470 | 520 |
| 28 | LQH43PN101M26 | 10 | 100μH | ±20% | 1.538±20% | 320 | 320 |
| 29 | LQH43PN151M26 | 10 | 150μH | ±20% | 2.362±20% | 280 | 260 |
| 30 | LQH43PN221M26 | 10 | 220μH | ±20% | 2.900±20% | 220 | 240 |

Continued on the following page. 

●EKLMQH5PC (Inductor for Power Lines Wire Wound Type)

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) | Rated Current (mA) | |
|-----|---------------|-----------------|------------|-----------|-------------------|----------------------------|---------------------------|
| | | | Nominal | Tolerance | | Based on Inductance Change | Based on Temperature Rise |
| 1 | LQH5BPNR47NT0 | 10 | 0.47μH | ±30% | 0.012±20% | 7700 | 4000 |
| 2 | LQH5BPN1R0NT0 | 10 | 1.0μH | ±30% | 0.019±20% | 5800 | 3100 |
| 3 | LQH5BPN1R2NT0 | 10 | 1.2μH | ±30% | 0.019±20% | 5400 | 3100 |
| 4 | LQH5BPN1R5NT0 | 10 | 1.5μH | ±30% | 0.024±20% | 5000 | 3000 |
| 5 | LQH5BPN2R2NT0 | 10 | 2.2μH | ±30% | 0.030±20% | 4000 | 2600 |
| 6 | LQH5BPN2R7NT0 | 10 | 2.7μH | ±30% | 0.035±20% | 3800 | 2500 |
| 7 | LQH5BPN3R3NT0 | 10 | 3.3μH | ±30% | 0.044±20% | 3500 | 2300 |
| 8 | LQH5BPN4R7NT0 | 10 | 4.7μH | ±30% | 0.058±20% | 3000 | 2000 |
| 9 | LQH5BPN6R8NT0 | 10 | 6.8μH | ±30% | 0.083±20% | 2500 | 1650 |
| 10 | LQH5BPN100MT0 | 10 | 10μH | ±20% | 0.106±20% | 2000 | 1600 |
| 11 | LQH5BPN150MT0 | 10 | 15μH | ±20% | 0.187±20% | 1600 | 1200 |
| 12 | LQH5BPN220MT0 | 10 | 22μH | ±20% | 0.259±20% | 1400 | 1050 |


●EKLMM18FC (for Choke Multilayer Type)

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) | Rated Current (mA) |
|-----|---------------|-----------------|------------|-----------|-------------------|--------------------|
| | | | Nominal | Tolerance | | |
| 1 | LQM18FN1R0M00 | 10 | 1.0μH | ±20% | 0.20±30% | 150 |
| 2 | LQM18FN2R2M00 | 10 | 2.2μH | ±20% | 0.40±30% | 120 |
| 3 | LQM18FN4R7M00 | 10 | 4.7μH | ±20% | 0.60±30% | 80 |
| 4 | LQM18FN100M00 | 10 | 10μH | ±20% | 0.90±30% | 50 |
| 5 | LQM21FN1R0N00 | 10 | 1.0μH | ±30% | 0.20±30% | 220 |
| 6 | LQM21FN2R2N00 | 10 | 2.2μH | ±30% | 0.28±30% | 150 |
| 7 | LQM21FN4R7M70 | 10 | 4.7μH | ±20% | 0.35±30% | 120 |
| 8 | LQM21FN4R7M80 | 10 | 4.7μH | ±20% | 0.18±30% | 120 |
| 9 | LQM21FN100M70 | 10 | 10μH | ±20% | 0.60±30% | 100 |
| 10 | LQM21FN100M80 | 10 | 10μH | ±20% | 0.30±30% | 100 |
| 11 | LQM21FN220N00 | 10 | 22μH | ±30% | 0.35±30% | 13 |
| 12 | LQM21FN470N00 | 10 | 47μH | ±30% | 0.60±30% | 7 |

●EKLMMH32CC (for Choke Wire Wound Type)

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) | Rated Current (mA) |
|-----|---------------|-----------------|------------|-----------|-------------------|--------------------|
| | | | Nominal | Tolerance | | |
| 1 | LQH32CNR15M33 | 10 | 0.15μH | ±20% | 0.028±30% | 1450 |
| 2 | LQH32CNR27M33 | 10 | 0.27μH | ±20% | 0.034±30% | 1250 |
| 3 | LQH32CNR47M33 | 10 | 0.47μH | ±20% | 0.042±30% | 1100 |
| 4 | LQH32CN1R0M33 | 10 | 1.0μH | ±20% | 0.06±30% | 1000 |
| 5 | LQH32CN2R2M33 | 10 | 2.2μH | ±20% | 0.097±30% | 790 |
| 6 | LQH32CN4R7M33 | 10 | 4.7μH | ±20% | 0.15±30% | 650 |
| 7 | LQH32CN100K33 | 10 | 10μH | ±10% | 0.3±30% | 450 |
| 8 | LQH32CN1R0M23 | 10 | 1.0μH | ±20% | 0.09±30% | 800 |
| 9 | LQH32CN2R2M23 | 10 | 2.2μH | ±20% | 0.13±30% | 600 |
| 10 | LQH32CN4R7M23 | 10 | 4.7μH | ±20% | 0.2±30% | 450 |
| 11 | LQH32CN100K23 | 10 | 10μH | ±10% | 0.44±30% | 300 |
| 12 | LQH32CN220K23 | 10 | 22μH | ±10% | 0.71±30% | 250 |
| 13 | LQH32CN470K23 | 10 | 47μH | ±10% | 1.3±30% | 170 |
| 14 | LQH32CN101K23 | 10 | 100μH | ±10% | 3.5±30% | 100 |
| 15 | LQH32CN221K23 | 10 | 220μH | ±10% | 8.4±30% | 70 |
| 16 | LQH32CN331K23 | 10 | 330μH | ±10% | 10±30% | 60 |
| 17 | LQH32CN391K23 | 10 | 390μH | ±10% | 17±30% | 60 |
| 18 | LQH32CN471K23 | 10 | 470μH | ±10% | 19±30% | 60 |
| 19 | LQH32CN561K23 | 10 | 560μH | ±10% | 22±30% | 60 |
| 20 | LQH32CN1R0M53 | 10 | 1.0μH | ±20% | 0.06±30% | 1000 |
| 21 | LQH32CN2R2M53 | 10 | 2.2μH | ±20% | 0.097±30% | 790 |
| 22 | LQH32CN4R7M53 | 10 | 4.7μH | ±20% | 0.15±30% | 650 |
| 23 | LQH32CN100K53 | 10 | 10μH | ±10% | 0.3±30% | 450 |
| 24 | LQH32CN150K53 | 10 | 15μH | ±10% | 0.58±30% | 300 |
| 25 | LQH32CN220K53 | 10 | 22μH | ±10% | 0.71±30% | 250 |
| 26 | LQH32CN330K53 | 10 | 33μH | ±10% | 1.1±30% | 200 |
| 27 | LQH32CN470K53 | 10 | 47μH | ±10% | 1.3±30% | 170 |
| 28 | LQH32CN680K53 | 10 | 68μH | ±10% | 2.2±30% | 130 |
| 29 | LQH32CN101K53 | 10 | 100μH | ±10% | 3.5±30% | 100 |

Continued on the following page.

 Continued from the preceding page.

● **EKLMH43CD** (for Choke Wire Wound Type)

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) max. | Rated Current (mA) |
|-----|---------------|-----------------|------------|-----------|------------------------|--------------------|
| | | | Nominal | Tolerance | | |
| 1 | LQH43CN1R0M03 | 10 | 1.0μH | ±20% | 0.08 | 1080 |
| 2 | LQH43CN1R5M03 | 10 | 1.5μH | ±20% | 0.09 | 1000 |
| 3 | LQH43CN2R2M03 | 10 | 2.2μH | ±20% | 0.11 | 900 |
| 4 | LQH43CN3R3M03 | 10 | 3.3μH | ±20% | 0.13 | 800 |
| 5 | LQH43CN4R7M03 | 10 | 4.7μH | ±20% | 0.15 | 750 |
| 6 | LQH43CN6R8M03 | 10 | 6.8μH | ±20% | 0.20 | 720 |
| 7 | LQH43CN100K03 | 10 | 10μH | ±10% | 0.24 | 650 |
| 8 | LQH43CN150K03 | 10 | 15μH | ±10% | 0.32 | 570 |
| 9 | LQH43CN220K03 | 10 | 22μH | ±10% | 0.60 | 420 |
| 10 | LQH43CN330K03 | 10 | 33μH | ±10% | 1.00 | 310 |
| 11 | LQH43CN470K03 | 10 | 47μH | ±10% | 1.10 | 280 |
| 12 | LQH43CN680K03 | 10 | 68μH | ±10% | 1.70 | 220 |
| 13 | LQH43CN101K03 | 10 | 100μH | ±10% | 2.20 | 190 |
| 14 | LQH43CN151K03 | 10 | 150μH | ±10% | 3.50 | 130 |
| 15 | LQH43CN221K03 | 10 | 220μH | ±10% | 4.00 | 110 |
| 16 | LQH43CN331K03 | 10 | 330μH | ±10% | 6.80 | 100 |
| 17 | LQH43CN471K03 | 10 | 470μH | ±10% | 8.50 | 90 |
| 18 | LQH43CNR56M33 | 10 | 0.56μH | ±20% | 0.030 | 2950 |
| 19 | LQH43CNR82M33 | 10 | 0.82μH | ±20% | 0.036 | 2800 |
| 20 | LQH43CN1R0M33 | 10 | 1.0μH | ±20% | 0.042 | 2600 |
| 21 | LQH43CN1R5M33 | 10 | 1.5μH | ±20% | 0.047 | 2450 |
| 22 | LQH43CN1R8M33 | 10 | 1.8μH | ±20% | 0.055 | 2300 |
| 23 | LQH43CN2R2M33 | 10 | 2.2μH | ±20% | 0.062 | 2100 |
| 24 | LQH43CN2R7M33 | 10 | 2.7μH | ±20% | 0.069 | 1800 |
| 25 | LQH43CN3R3M33 | 10 | 3.3μH | ±20% | 0.099 | 1650 |
| 26 | LQH43CN3R9M33 | 10 | 3.9μH | ±20% | 0.107 | 1600 |

● **EKLMW18CC** (for Choke Wire Wound Type)

| No. | Part Number | Quantity (pcs.) | Inductance | | DC Resistance (Ω) max. | Rated Current (mA) |
|-----|---------------|-----------------|------------|-----------|------------------------|--------------------|
| | | | Nominal | Tolerance | | |
| 1 | LQW15CN18NJ00 | 10 | 18nH | ±5% | 0.046 | 1400 |
| 2 | LQW15CN33NJ00 | 10 | 33nH | ±5% | 0.065 | 1300 |
| 3 | LQW15CN48NJ00 | 10 | 48nH | ±5% | 0.078 | 1100 |
| 4 | LQW15CN70NJ00 | 10 | 70nH | ±5% | 0.12 | 820 |
| 5 | LQW15CN96NJ00 | 10 | 96nH | ±5% | 0.16 | 730 |
| 6 | LQW15CNR13J00 | 10 | 130nH | ±5% | 0.23 | 640 |
| 7 | LQW15CNR16J00 | 10 | 160nH | ±5% | 0.33 | 480 |
| 8 | LQW15CNR20J00 | 10 | 200nH | ±5% | 0.47 | 390 |
| 9 | LQW15CNR39K10 | 10 | 390nH | ±10% | 0.62 | 370 |
| 10 | LQW15CNR56K10 | 10 | 560nH | ±10% | 0.71 | 300 |
| 11 | LQW18CN4N9D00 | 10 | 4.9nH | ±0.5nH | 0.015 | 2600 |
| 12 | LQW18CN15NJ00 | 10 | 15nH | ±5% | 0.025 | 2200 |
| 13 | LQW18CN33NJ00 | 10 | 33nH | ±5% | 0.035 | 1700 |
| 14 | LQW18CN55NJ00 | 10 | 55nH | ±5% | 0.045 | 1500 |
| 15 | LQW18CN85NJ00 | 10 | 85nH | ±5% | 0.060 | 1400 |
| 16 | LQW18CNR10K00 | 10 | 100nH | ±10% | 0.10 | 1000 |
| 17 | LQW18CNR12J00 | 10 | 120nH | ±5% | 0.085 | 1100 |
| 18 | LQW18CNR16J00 | 10 | 160nH | ±5% | 0.10 | 1000 |
| 19 | LQW18CNR21J00 | 10 | 210nH | ±5% | 0.15 | 800 |
| 20 | LQW18CNR27J00 | 10 | 270nH | ±5% | 0.16 | 750 |
| 21 | LQW18CNR33J00 | 10 | 330nH | ±5% | 0.25 | 630 |
| 22 | LQW18CNR39J00 | 10 | 390nH | ±5% | 0.28 | 620 |
| 23 | LQW18CNR47J00 | 10 | 470nH | ±5% | 0.45 | 500 |
| 24 | LQW18CNR56J00 | 10 | 560nH | ±5% | 0.48 | 450 |
| 25 | LQW18CNR65J00 | 10 | 650nH | ±5% | 0.52 | 430 |